

# **Redefine the cost-effectiveness of the Smart Meeting Board**

*Let the customer that has demand, can afford, use well, use safely!*



## The new benchmark for conference tablets

---

Exclusive private mold appearance design, new upgrade from inside to outside, knock value has inside pass. Full-line 4k large screen, true 4K UI back, high color city display, high-quality low and medium sound system, more outstanding. Smart office multi-scene collaboration, dual eye-care technology people-oriented, so that the meeting tablet is more intelligent . A productivity tool that truly meets customer needs and adapts to segmentation scenarios.





### **The new benchmark for conference tablets**

Exclusive private mold appearance design, from the inside to the outside full-service upgrade, has appearance value the connotation. A productivity tool that truly meets customer needs and adapts to segmentation scenarios.

### **Dual 4K engine**

System 4K large screen, true 4K UI interface more delicate display screen effect.

### **8+128GB**

High-capacity high-speed storage, software operation, picture and video playback, and related page loading are smoother, and the time-lapse is free.

### **Performance improvements**

Adopts the Amlogic T982 processor solution for high-end conference board products, which is stable and reliable in performance.

### **Android 11.0**

Based on the Android 11.0 operating system for source customization user-friendly interface, interactive experience more fluid

### **4800W camera**

4800W HD Camera + 8 array pickup microphone maximum support 10 meters pickup. With the core algorithm, sound source location face tracking, Echo cancellation, and video teleconference cooperation is more efficient.

### **Full-featured Type-C**

Data efficient reading, audio and video signal efficient transmission support 60W fast charge.

### **Dual-band WIFI**

5G/2.4G dual-band WIFI, intelligent algorithm optimized to achieve high-speed, stable, low-delay network connection, web browsing file transfer, and video conferencing smooth.


### **1.07 billion colors**

High HDR with 85% -95% NTSC high gamut targeted to adjust the color saturation, brightness, sharpness, etc., presenting a new visual feast

### **Double Eye Protection**

Anti-glare (AG) Burr + low blue light double eye protection, to alleviate eye fatigue, and reduce glare on the eye suit injury. Dual eye care technology to people-oriented, so the meeting tablet is more intelligent.





## 4K UI 4K picture quality

3840 x 2160/4K UI interface/178° viewing angle  
The whole system has a 4K large screen, a true 4K UI interface, and a more delicate display effect.

www.kesytech.com





**8+128GB**

**8+128GB**

Large capacity high-speed storage software, graphics, video-related pages loaded more smoothly, say goodbye to time-delayed Cottonwood.



High Performance CPU release


Release of the previous generation CPU



**Promotion**

## Performance improvements

Strengthening the near adoption of products specifically for the league meeting Ping Ge MTLDGC T982 pre-selection of the part, the performance is set Mild and reliable.



www.kesytech.com










## Full-featured Type-c

Data efficient reading, audio and video signal  
efficient transmission, support 60W fast charge.

www.kesytech.com





1

2

3

4

5

6

7

8

8 high sensitivity omnidirectional silicon

Pick-up distance 10 meters

180-degree wide-field cluster pickup

Smart AI camera, ultra-high-definition 48 million pixels, tracking speakers and intelligent framing.





# Wi-Fi 5


## Dual-band WiFi 2.4G/5g

Dual frequency can be used at the same time

## Dual-band WiFi

5G/2.4G dual-band WIFI, intelligent algorithm optimized to achieve high-speed stability, low delay network connection, web browsing, file transfer, video conferencing more smooth.





## 1.07 billion colors

High HDR with 85%-95% NTSC high color gamut the color saturation, brightness, sharpness, etc. of the picture are adjusted in a targeted manner, presenting a new visual feast.

www.mesytech.com



**Low Blue Light**



## **Double eye protection**

Anti-glare (AG) glass + low blue light double eye protection, relieve eye fatigue and reduce the damage of glare to the eyes. People-oriented double eye protection technology makes the conference board more intelligent.

**Anti-glare**



|                         | 55 inch   | 65 inch  | 75 inch  | 85 inch  | 98 inch   | 110 inch  |
|-------------------------|---|--|--|--|---|---|
| Panel                   | Screen size:55inch<br>Backlight type , D-LED<br>Contrast:4000:1<br>Resolution:3840*2160(UHD)<br>Brightness:350cd/m <sup>2</sup><br>Visual angle:178”(H) /178”(V)  | Screen size:65inch<br>Backlight type:D-LED<br>Contrast:4000:1<br>Resolution:3840*2160(UHD)<br>Brightness:350/m<br>Visual angle:178*(H) /178” (V) | Screen size;75inch,<br>Backlight type:D-LED<br>Contrast:5000:1<br>Resolution:3840*2160(UHD)<br>Brightness:350cd/m,<br>Visual angle:178” (H) /178”(V) | Screen size: 85 inch,<br>Backlight type:D-LED<br>Contrast:6000: 1<br>Resolution:3840*2160 (UHD)<br>Brightness:400cd/m<br>Visual angle:178”(H) /178”(V) | Screen size:98 inch<br>Backlight type:D-LED<br>Contrast:6000:1<br>Resolution:3840*2160(UHD)<br>Brightness:450cd/m,<br>Visual angle:178” (H) /178° (V) | Screen size:110 inch<br>Backlight type:D-LED<br>Contrast:1200:1,<br>Resolution:3840*2160(UHD)<br>Brightness: 500cd/m<br>Visual angle:178”(H) /178”(V) |
| System properties       | System :Android 11.0, 64-bit , CPU: quad-core Cortex-A55 , GPU:Arn Mali-G52 MP2(2EE) , Frequency: 9GHz: RAM:8G (DDR4) , ROM:128GB (Eumc5.1)   |  |  |  |   |   |
| Power supply            | Power:100V-240V/AC, 50/60Hz , Maximum Power (without OPS) : <550 , OPS Power: 19V (DC)/7A , standby power: <0.5 W, Power (AC) input: * 1  |  |  |  |   |   |
| Camera microphone       | 4800W camera + 8 array pickup microphone (pickup range 8-10m)-source location/face tracking/echo cancellation   |  |  |  |   |   |
| Speaker,WIFI, Bluetooth | Sound Power: 15W * 2 + 20W in front<br>WIFI support Bluetooth support   |  |  |  |   |   |
| Front interface         | USB Type-C,HDMI IN,TOUCH OUT(USB2.0),USB#2(USB3.0),One button switch:   |  |  |  |   |   |
| Rear interface          | HDMI OUT,RJ45#1/RJ45#2,PC AUDIO IN,YGA,Mni)LINE OUT,OPTICAL<br>OUT,RS232,USB#1 (USB2. 0),HDMIF1, HDMI#2, TOUCH OUT (USB2.0),USB#2 (USB3. 0),USB#3 (USB2.0)  |  |  |  |   |   |
| Structure               | 24Kg+1Kg (NET weight)<br>30kgt1Kg (Gross weight)<br>Size of the whole machine:<br>1273.4*88*788mm<br>Size of gravity carton:<br>1375*185*885mm  | 35Kg+1Kg (NET weight)<br>42kgt1Kg (Gross weight)<br>Size of the whole machine:<br>1474.4*92.4*907mm<br>Size of gravity carton:<br>1570*165*970mm | 52Kg+1Kg(NET weight)<br>62kg+1Kg (Gross weight)<br>Size of the whole machine:<br>1710*89.6*1037.6mm<br>Size of gravity<br>carton:1800*215*1105mm     | 68Kg+1Kg(NET weight)<br>79kg+1Kg(Gross weight)<br>Size of the whole machine:<br>1934.8*85.3*1164.1mm<br>Size of gravity<br>carton:2050*215*1250mm      | 110Kg+1Kg (NET weight)<br>125kg+1Kg(Gross weight)<br>Size of the whole machine:<br>2218.4*93.2*1321.7mm<br>Size of gravity<br>carton:2325*230*1405mm  | 120Kg+1Kg(NET weight)<br>152kgt1Kg(Gross weight)<br>Size of the whole machine:<br>2500.8*108.7*1477.5mm<br>Size of gravity<br>carton:2664*298*1597mm  |
| Touch parameters        | Touch specifications: 20-point Infrared Touch<br>Glass specifications: 4mm AG tempered glass;<br>Response Time: S8MS;<br>Touch accuracy: <±1mm  |  |  |  |   |   |
| Fitting process         | Zero fit  |  |  |  | Box stickers  |   |
| Annex                   | Writing Pen * 1, wireless same screen device * 1(optional) , electronic Bluetooth PEN * 1(optional) , mobile bracket * 1(optional) Wall Mount * 1, M8 Screw * 4, remote control * 1, battery * 2, certificate/Warranty Card * 1, 1.8 m power cord * 1 |  |  |  |   |   |

\* Note: Please be informed of any changes in model specifications or parameters due to product updates without prior notice.